



Customer: BUFFALO PUFF DELTA-8

Sample ID: BMPD8GG21  
Laboratory Number: ATL-1069

Report Issue Date  
08/06/21

Extraction Technician: HP  
Analytical Chemist: HP

*Hernan Prieto*



# CANNABINOID PROFILE

Order Date  
08/06/21

Analysis Date  
08/06/21

Cannabinoids (HPLC)	Results	Cannabinoid (%)								
		LOD (mg/g)	(mg/g)	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<2.0	0	0							
Cannabidiolic Acid (CBD-A)	N/D	0	0							
Cannabigerolic Acid (CBG-A)	N/D	0	0							
Cannabigerol (CBG)	<2.0	0	0							
Cannabidiol (CBD)	<2.0	0	0							
Cannabinol (CBN)	<2.0	0	0							
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0							
Delta 8-Tetrahydrocannabinol	<2.0	924.6	92.46							
Delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0							
Cannabichromene (CBC)	<2.0	0	0							
Delta-9 Tetrahydrocannabinolic Acid (THC-A)	N/D	0	0							

Cannabinoids Total		(mg/g)	%	0	20	40	60	80	100
Test									
Max Active THC		0	0						
Max Active CBD		0	0						
T. Active Cannabinoids		924.6	92.46						
Total Cannabinoids		924.6	92.46						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected