

Customer: BUFFALO PUFF
1000MG DELTA-8 TINCTURE

Sample ID: BMPD8GG21
Laboratory Number: ATL-1069



Report Issue Date
10/06/22

Extraction Technician: HP
Analytical Chemist: HP

Hernan Prieto



CANNABINOID PROFILE

Order Date
10/06/22

Analysis Date
10/06/22

Cannabinoids (HPLC)

Results

Cannabinoid (%)

Test	LOD (mg/g)	(mg/g)	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<2.0	0	0						
Cannabidiolic Acid (CBD-A)	N/D	0	0						
Cannabigerolic Acid (CBG-A)	N/D	0	0						
Cannabigerol (CBG)	<2.0	0	0						
Cannabidiol (CBD)	<2.0	0	0						
Cannabinol (CBN)	<2.0	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0						
Delta 8-Tetrahydrocannabinol	<2.0	924.6	92.46						
Delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0						
Cannabichromene (CBC)	<2.0	0	0						
Delta-9 Tetrahydrocannabinolic Acid (THC-A)	N/D	0	0						

Cannabinoids Total

Test	(mg/g)	%	0	20	40	60	80	100
Max Active THC	0	0						
Max Active CBD	0	0						
T. Active Cannabinoids	924.6	92.46						
Total Cannabinoids	924.6	92.46						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected

Customer: BUFFALO PUFF
2000MG DELTA-8 TINCTURE

Sample ID: BMPD8GG21
Laboratory Number: ATL-1069



Report Issue Date
10/06/22

Extraction Technician: HP
Analytical Chemist: HP

Hernan Prieto



CANNABINOID PROFILE

Order Date
10/06/22

Analysis Date
10/06/22

Cannabinoids (HPLC)	Results	Cannabinoid (%)									
		LOD (mg/g)	(mg/g)	%	0	20	40	60	80	100	
Cannabidiarin (CBDV)	<2.0	0	0								
Cannabidiolic Acid (CBD-A)	N/D	0	0								
Cannabigerolic Acid (CBG-A)	N/D	0	0								
Cannabigerol (CBG)	<2.0	0	0								
Cannabidiol (CBD)	<2.0	0	0								
Cannabinol (CBN)	<2.0	0	0								
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0								
Delta 8-Tetrahydrocannabinol	<2.0	924.6	92.46								
Delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0								
Cannabichromene (CBC)	<2.0	0	0								
Delta-9 Tetrahydrocannabinolic Acid (THC-A)	N/D	0	0								

Cannabinoids Total		(mg/g)	%	0	20	40	60	80	100
Test									
Max Active THC		0	0						
Max Active CBD		0	0						
T. Active Cannabinoids		924.6	92.46						
Total Cannabinoids		924.6	92.46						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected

Customer: BUFFALO PUFF
4000MG DELTA-8 TINCTURE

Sample ID: BMPD8GG21
Laboratory Number: ATL-1069



Report Issue Date
10/06/22

Extraction Technician: HP
Analytical Chemist: HP

Hernan Prieto

CANNABINOID PROFILE



Order Date
10/06/22

Analysis Date
10/06/22

Cannabinoids (HPLC)

Results

Cannabinoid (%)

Test	LOD (mg/g)	(mg/g)	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<2.0	0	0						
Cannabidiolic Acid (CBD-A)	N/D	0	0						
Cannabigerolic Acid (CBG-A)	N/D	0	0						
Cannabigerol (CBG)	<2.0	0	0						
Cannabidiol (CBD)	<2.0	0	0						
Cannabinol (CBN)	<2.0	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0						
Delta 8-Tetrahydrocannabinol	<2.0	924.6	92.46						
Delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0						
Cannabichromene (CBC)	<2.0	0	0						
Delta-9 Tetrahydrocannabinolic Acid (THC-A)	N/D	0	0						

Cannabinoids Total

Test	(mg/g)	%	0	20	40	60	80	100
Max Active THC	0	0						
Max Active CBD	0	0						
T. Active Cannabinoids	924.6	92.46						
Total Cannabinoids	924.6	92.46						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected